

Swing



Impulse Machines





Design and user interface

- Elegant and uncluttered design.
- Capacitive keyboard and wide graphical display.
- LED lighting inside the white cabinet for maximum visibility of the displayed products.



Maximum flexibility

- Up to 6 trays which can be easily moved thanks to Vertical Flex (V-Flex) system.
- Space optimisation inside the cabinet.
- With two **optional** Visioshop trays it is possible to create a special area for products with non standard packaging.
- Enhanced ETL trays (depending on model).
- Wider delivery bin.



High energy efficiency

- C class according to EN 50597 scale.
- Perfect insulation of the cabinet.
- Cooling unit with R290 gas.
- High energy efficiency and dramatic decrease of pull down time.
- Swing can manage up to two temperatures inside the cabinet.



Electronics

- Swing is compatible with Newis Hi! solution.

Features	
Height	1830mm
Width	900mm
Depth	875mm
Depth (Without Vend Bin)	800mm
Depth (Door Open)	1495mm
Weight	300kg approx

Swing




An elegant and uncluttered design



High visibility cabinet



Necta reserves the right to alter specifications without notice.



	Swing					
Product Code	9E0255	9E0256	9E0253	9E0254	9E0253-1	9E0254-1
Model	Snack		Snack, Can & Bottle		Can & Bottle	
ETL	NO	YES	NO	YES	NO	YES
No of Trays	6		6		5	
Selections	36		40		40	
Capacity	466		416		240	
Snacks	120		80		-	
Confectionery	346		240		-	
Bottles	-		48		144	
Cans	-		48		96	



necta.evocagroup.com



EVUCA SPA

Via Roma 24, 24030 Valbrembo (BG) Italia
Tel. +39 035 606111 - Fax +39 035 606519

EVUCA UK LTD

Prime Point, First Avenue, Pensnett Trading Estate, Kingswinford. DY6 7TJ
T: 01902 355 000 - E: sales.uk@evocagroup.com



ISO 9001 : 2015

ISO 14001 : 2015

BS OHSAS 18001:2007