

TANGO

Machine Presentation

HIGHLIGHTS

- Large capacity glass fronted machine with flexible layout
- Impressive capacity up to 40 selections, with the ability to offer a wide range of drinks, snacks and confectionary
- Vend detection sensor in the delivery bin to ensure trouble free product dispense
- Patented front to front ventilation allowing the machine to be located directly against a wall saving up to 10cm
- Available with or without Electronic Tray Labels (ETL)





DESIGN & USER INTERFACE



- Modern and elegant design in line with Necta's Opera and Festival Classic
- Capacitive keypad backlit by blue LED's
- Cabinet illuminated by LED tubes
- Sound signal at the end of the dispensing cycle, to indicate the product selection is complete
- Possibility to install up to three payment systems
- Rolling price display for simplified price changes



ELECTRONIC TRAY LABELS (ETL)

Electronic Tray labels (ETL) can help boost sales, improve the consumer experience and simplify operating tasks:

- Clear digital prices which are easy to read
- You can highlight product promotions, set automatic price changes and show basic nutritional information which all help to boost sales
- The planogram can be shown underneath each selection which can help the operator when filling the machine
- You can remotely manage the price changes and product messages by Vend Track



UK SPECIFICATION

Tango is available in three versions: All Snack, Combi or Can & Bottle










CAPACITY- ALL SNACK



Total: 36 selections 466 products






CAPACITY - COMBI

Crisps Confectionery Bottles

48

Cans


Total: 36 selections 424 products





CAPACITY – CAN & BOTTLE





Total: 40 selections 240 products



DIMENSIONS

Weight

280 Kg

Height

1830mm



Depth with door open 1494mm

Depth 875mm

Depth with vend bin removed 800mm

G

Width 890mm

ENERGY CONSUMPTION

Tango is an environmental friendly machine thank to:

- Highly efficent cooling unit
- Low consumption LED tube lighting
- Insulation of the cabinet
- Energy saving management options





ACCESSORIES

- Wall fixing bracket
- Cashbox lid and lock
- Jack connection for RS232

